

BIBLIOGRAPHIE

- AMANN, M., *et al.* «Somatosensory feedback from the limbs exerts inhibitory influences on central neural drive during whole body endurance exercise» *Journal of Applied Physiology*, vol. 105, n° 6, 2008, p. 1714-1724.
- AMANN, M., *et al.* «Opioid-mediated muscle afferents inhibit central motor drive and limit peripheral muscle fatigue development in humans», *Journal of Physiology*, vol. 587, 2009, p. 271-283.
- ANDERSSON, H., *et al.* «Neuromuscular fatigue and recovery in elite female soccer: Effects of active recovery», *Medicine & Science in Sports & Exercise*, vol. 40, n° 2, 2008, p. 372-380.
- ARENDSE, R., *et al.* «Reduced eccentric loading of the knee with the Pose running method», *Medicine & Science in Sports & Exercise*, vol. 36, n° 2, 2004, p. 272-277.
- ASMUSSEN, E, et BONDE-PETERSEN, F. «Apparent efficiency and storage of elastic energy in human muscles during exercise» *Acta Physiologica Scandinavica*, vol. 92, n° 4, 1974, p. 537-545.
- BAILEY, S. P., et PATE, R. R. «Feasibility of improving running economy», *Sports Medicine*, vol. 12, n° 4, 1991, p. 228-36.
- BANISTER, E. W., CARTER, J. B., et ZARKADAS, P. C. «Training theory and taper: Validation in triathlon athletes», *European Journal of Applied Physiology and Occupational Physiology*, vol. 79, 1999, p. 182-191.
- BARNES, M., *et al.* «Acute alcohol consumption aggravates the decline in muscle performance following strenuous eccentric exercise», *Journal of Science and Medicine in Sport*, vol. 13, 2010, p. 189-193.
- BARNETT, A. «Using recovery modalities between training sessions in elite athletes: does it help?», *Sports Medicine*, vol. 36, 2006, p. 781-796.
- BATHOLOMEW, J. B. «The effects of resistance exercise on manipulated preexercise mood for males exercisers», *Journal of Sport & Exercise Psychology*, vol. 21, 1999, p. 39-51.
- BECHBACHE, R. R., et DUFFIN, J. «The entrainment of breathing frequency by exercise rhythm», *Journal of Physiology*, vol. 272, n° 3, 1977, p. 553-561.
- BELIVEAU, R., et GINGRAS, D. *Foods that fight cancer: Preventing cancer through diet*, Random House, 2006.
- BELLINGER, A. M., *et al.* «Remodeling of ryanodine receptor complex causes "leaky" channels: A molecular mechanism for decreased exercise capacity», *PNAS*, vol. 105, n° 6, 2008, p. 2198-2202.
- BERNASCONI, P., et KOHL, J. «Analysis of coordination between breathing and exercise rhythms in man», *Journal of Physiology*, vol. 471, 1993, p. 693-706.
- BIJKER, K. E., DE GROOT, G., et HOLLANDER, A. P. «Delta efficiencies of running and cycling», *Medicine & Science in Sports & Exercise*, vol. 33, n° 9, septembre 2001, p. 1546-1551.
- BILLAT, V. *Sport et Vie*, hors-série n° 32, juillet 2010.
- BLACK, S., *et al.* «Improved insulin action following short-term exercise training: Role of energy and carbohydrate balance», *Journal of Applied Physiology*, vol. 99, 2005, p. 2285-2293.
- BLOMSTRAND, E. «A role for branched-chain amino acids in reducing central fatigue», *Journal of Nutrition*, vol. 136, n° 2, février 2006, p. 544S-547S.

- BOBBERT, M., *et al.* «Factors in delayed onset muscular soreness of man», *Medicine & Science in Sports & Exercise*, vol. 18, n° 1, 1986, p. 75-81.
- BOECKER, H., *et al.* «The runner's high: Opioidergic mechanisms in the human brain», *Cerebral Cortex*, vol. 18, 2008, p. 2523-2531.
- BONEN, A., *et al.* «Mild exercise impedes glycogen repletion in muscle», *Journal of Applied Physiology*, vol. 58, 1985, p. 1622-1629.
- BOSCO, C., *et al.* «Combined effect of elastic energy and myoelectrical potentiation during stretch-shortening cycle exercise», *Acta Physiologica Scandinavica*, vol. 114, 1982, p. 557-565.
- BOSQUET, L., *et al.* «Effects of tapering on performance: A meta-analysis», *Medicine & Science in Sports & Exercise*, vol. 39, 2007, p. 1358-1365.
- BRINGARD, A., *et al.* «Compression élastique externe et fonction musculaire chez l'homme», *Science & Sports*, vol. 22, 2007, p. 3-13.
- BRISSWALTER, J., LEGROS, P., et DUREY, A. «Variabilité du coût énergétique de la course à pied: effet de la spécificité de la vitesse d'entraînement sur l'évolution des paramètres physiologiques et cinématiques de la course à pied», *Science et Motricité*, vol. 25, 1995, p. 3-11.
- BROWN, D. R., *et al.* «Physical activity, sport participation, and suicidal behavior: U.S. high school students», *Medicine & Science in Sports & Exercise*, vol. 39, n° 12, 2007, p. 2248-2257.
- BUCHHEIT, M., *et al.* «Effects of increased training load on vagal-related indexes of heart rate variability: A novel sleep approach», *American Journal of Physiology – Heart and Circulatory Physiology*, vol. 287, 2004, p. H2813-2818.
- BUGUET, A., CESPUGLIO, R., et RADOMSKI, M. W. «Sleep and stress in man: An approach through exercise and exposure to extreme environments», *Canadian Journal of Physiology and Pharmacology*, vol. 76, 1998, p. 553-561.
- BUMAN, M. P., *et al.* «Exercise effects on night-to-night fluctuations in self-rated sleep among older adults with sleep complaints», *Journal of Sleep Research*, vol. 20, 2011, p. 28-37.
- BURKE, L., *et al.* «Nutrition for distance events», *Journal of Sports Sciences*, vol. 25, no 1, 2007, p. S29-S38.
- BURKE, L. «Nutrition for recovery», dans *Sports nutrition: From lab to kitchen*, Meyer and Meyer Sport, 2010.
- CAIRNS, S. P. «Lactic acid and exercise performance: Culprit or friend?», *Sports Medicine*, vol. 36, 2006, p. 279-291.
- CANNELL, J., *et al.* «Athletic performance and vitamin D», *Medicine & Science in Sports & Exercise*, vol. 41, n° 5, 2009, p. 1102-1110.
- CAVAGNA, G. A., DUSMAN, B., et MARGARIA, R. «Positive work done by a previously stretched muscle», *Journal of Applied Physiology*, vol. 24, n° 1, 1968, p. 21-32.
- CAVAGNAH, P. R., et WILLIAMS, K. R. «The effect of stride length variation on oxygen uptake during distance running», *Medicine & Science in Sports & Exercise*, vol. 14, 1982, p. 30-35.
- CHAKRAVARTI, E., *et al.* «Long distance running and knee ostéo-arthritis: A prospective study», *American Journal of Preventive Medicine*, vol. 35, n° 2, 2008, p. 133-138.
- CHAMALIDIS, M. *Splendeurs et misères des champions*, Montréal, VLB éditeur, 2000.
- CHEVALLIER, L. *Les 100 meilleurs aliments pour votre santé et la planète*, Paris, Fayard, 2009.
- CHOI, D., *et al.* «Effect of passive and active recovery on the resynthesis of muscle glycogen», *Medicine &*

- Science in Sports & Exercise*, vol. 26, 1994, p. 992-996.
- CHOQUET, M., et LEDOUX, S. *Adolescents : Enquête nationale*, INSERM, 1994.
- CLARKE, D. D., et SOKOLOFF, L. «Circulation and energy metabolism of the brain», dans G. J. Siegel (dir.), *Basic Neurochemistry*, New York, Raven Press, 1994, p. 645-680.
- COFFEY, V., LEVERITT, M., et GILL, N. «Effect of recovery modality on 4-hour repeated treadmill running performance and changes in physiological variables», *Journal of Science and Medicine in Sport*, vol. 7, 2004, p. 1-10.
- COOK, D. B., *et al.* «Naturally occurring muscle pain during exercise: Assessment and experimental evidence», *Medicine & Science in Sports & Exercise*, vol. 29, n° 8, 1997, p. 999-1012.
- CRAFT, L. L. «Exercise and clinical depression: Examining two psychological mechanisms», *Psychology of Sport and Exercise*, vol. 6, 2005, p. 151-171.
- CRONIN, J., et SLEIVERT, G. «Challenges in understanding the influence of maximal power training on improving athletic performance», *Sports Medicine*, vol. 35, 2005, p. 213-234.
- CRONSON, H., et MITCHELL, G. «Athletes and their families: adapting to the stresses of professional sports», *Physician and Sportsmedicine*, vol. 15, mai 1987, p. 121-127.
- DALLAM, G., *et al.* «Effect of a global alteration of running technique on kinematics and economy», *Journal of Sports Sciences*, vol. 23, n° 7, 2005, p. 757-764.
- DALLEAU, G., *et al.* «The spring mass model and the energy cost of treadmill running», *European Journal of Applied Physiology and Occupational Physiology*, vol. 77, n° 3, 1998, p. 257-263.
- DEPUE, R. A., et COLLINS, P. F. «Neurobiology of the structure of personality : Dopamine, facilitation of incentive motivation, and extraversion», *Behavioral and Brain Sciences*, vol. 22, n° 3, 1999, p. 491-569.
- DESCH, M., *et al.* «Cardiometabolic comparison of elliptical and treadmill exercise responses», *Medicine & Sciences in Sports & Exercise*, vol. 37, n° 5, 2005, p. S105.
- DOUILLARD, J. *Body, mind and sports*, Three Rivers Press, 1994.
- DRIVER, H. S. *et al.* «Submaximal exercise effects on sleep patterns in young women before and after an aerobic training program», *Acta Physiologica Scandinavica*, vol. 574 suppl., 1998, p. 8-13.
- DRIVER H. S., *et al.* «Prolonged endurance exercise and sleep disruption», *Medicine & Science in Sports & Exercise*, vol. 26, 1994, p. 903-907.
- DRIVER, S., et TAYLOR, S. R. «Sleep disturbances and exercise», *Sports Medicine*, vol. 21, 1996, p. 1-6.
- EBBEN, W., *et al.* «Effect of the degree of hill slope on acute downhill running velocity and acceleration», *Journal of Strength and Conditioning Research*, vol. 22, n° 3, 2008, p. 898-902.
- EDWARDS, A., et Walker, R. «Inspiratory muscle training and endurance: A central metabolic control perspective», *International Journal of Sports Physiology and Performance*, vol. 4, 2009, p. 122-128.
- EDWARDS, B., *et al.* «Effects of stride length and running mileage on a probabilistic stress fracture model», *Medicine & Science in Sports & Exercise*, vol. 41, n° 12, 2009, p. 2177-2184.
- ESFARJANI, F., et LAURSEN, P. B. «Manipulating high-intensity interval training : Effects on VO₂max, the lactate threshold and 3000m running performance in moderately trained males», *Journal of Science and Medicine in Sport*, vol. 10, 2007, p. 27-35.

- FAIRCHILD, T. J., *et al.* «Glycogen synthesis in muscle fibers during active recovery from intense exercise», *Medicine & Science in Sports & Exercise*, vol. 35, 2003, p. 505-602.
- FARLEY, C. T., *et al.* «Hopping frequency in humans: A test of how springs set stride frequency in bouncing gaits», *Journal of Applied Physiology*, vol. 71, n° 6, 1991, p. 2127-2132.
- FARLEY, C. T., et FERRIS, D. P. «Biomechanics of walking and running: Center of mass movements to muscle action», *Exercise and Sport Sciences Review*, vol. 26, 1998, p. 253-285.
- FERRIS, D., *et al.* «Moving the arms to activate the legs», *Exercise and Sport Sciences Review*, vol. 34, n° 3, 2006, p. 1-8.
- FERRIS, D., *et al.* «Running in the real world: Adjusting leg stiffness for different surfaces», *Proceedings of the Royal Society of London B*, vol. 265, 1998, p. 989-994.
- FOWLES, J. R. *et al.* «Reduced strength after passive stretch of the human plantarflexors», *Journal of Applied Physiology*, vol. 89, n° 3, 2000, p. 1179-1188.
- FRASER, S. N., et SPINK, K. S. «Examining the role of social support and group cohesion in exercise compliance», *Journal of Behavioral Medicine*, vol. 36, n° 4, 2002, p. 305-312.
- FRENCH, D. *et al.* «The effects of contrast bathing and compression therapy on muscular performance», *Medicine & Science in Sports & Exercise*, vol. 40, n° 7, 2008, p. 1298-1307.
- FRENCH, S. D. *et al.* *Superficial heat or cold for low back pain*, Cochrane Library, 2010.
- Frost, D. M., Cronin, J., et Newton, R. U. «A biomechanical evaluation of resistance: Fundamental concepts for training and sports performance», *Sports Medicine*, vol. 40, 2010, p. 303-326.
- GALLOWAY, J., et HANNAFORD, D. *Running injuries, treatment and prevention*, Meyer & Meyer Sport, 2010.
- GIBALA, M., *et al.* «Short term sprint interval training versus traditional endurance training: Similar initial adaptations in human skeletal muscle and exercise performance», *Journal of Physiology*, vol. 575, 2006, p. 901-911.
- GOETGHEBUER, G. «Qu'est ce qui fait courir le monde?», *Sport et Vie*, n° 104, septembre-octobre 2007, p. 31-34.
- GOLDMAN, S., *et al.* «Poor sleep is associated with poorer physical performance and greater functional limitations in older women», *Sleep*, vol. 30, 2007, p. 1317-1324.
- GOODWIN, R. D. «Association between physical activity and mental disorders among adults in the United States», *Preventive Medicine*, vol. 36, n° 6, 2003, p. 698-703.
- GORSKI, T., *et al.* «Use of nonsteroidal anti-inflammatory drugs in triathletes: Prevalence, level of awareness, and reasons for use», *British Journal of Sports Medicine*, 2009.
- GOULD, E., et TANAPAT, P. «Stress and hippocampal neurogenesis», *Biological Psychiatry*, vol. 46, 1999, p. 1472-1479.
- GREENWOOD, J. D., *et al.* «Intensity of exercise recovery, blood lactate disappearance and subsequent swimming performance» *Journal of Sports Sciences*, vol. 26, 2008, p. 29-34.
- GREMION, G. «Les exercices d'étirement dans la pratique sportive ont-ils encore leur raison d'être? Une revue de la littérature», *Revue médicale suisse*, n° 28, juillet 2005, p. 1830-1834.
- GRIFFIN, S. J., et TRINDER, J. «Physical fitness, exercise and human sleep», *Psychophysiology*, vol. 15, 1978, p. 447-450.

- HAMILL, J., DERRICK, T. R., et HOLT, K. G. «Shock attenuation and stride frequency during running», *Human Movement Science*, vol. 14, 1995, p. 45-60.
- HEIDERSCHEIT, B., *et al.* «Effects of step rate manipulation on joint mechanics during running», *Medicine & Science in Sports & Exercise*, 2010.
- HEISE, G. D., et MARTIN, P. E. «Leg spring characteristics and the aerobic demand of running», *Medicine & Science in Sports & Exercise*, vol. 30, n° 5, 1998, p. 750-754.
- Heyman, E., *et al.* «Effects of four recovery methods on repeated maximal rock climbing performance», *Medicine & Science in Sports & Exercise*, vol. 41, 2009, p. 1303-1310.
- HICKSON, R. C. «Reduced training intensities and loss of aerobic power, endurance, and cardiac growth», *Journal of Applied Physiology*, vol. 58, n° 2, 1985, p. 492-499.
- HILL, A. V. «The heat of shortening and the dynamic constants of muscle», *Proceedings of the Royal Society of London B: Biological Sciences*, vol. 126B, 1938, p. 136-195.
- HILTY, L., *et al.* «Spinal opioid receptor-sensitive muscle afferents contribute to the fatigue induced increase in intracortical inhibition in healthy humans», *Experimental Physiology*, vol. 96, n° 5, 2011, p. 505-517.
- HOBERMAN, J. M. *Mortal engines: The science of performance and the dehumanization of sport*, Free Press, 1992.
- HORNE, J. A. «The effects of exercise upon sleep: A critical review», *Biological Psychology*, vol. 12, 1981, p. 241-290.
- HOWATSON, G., et VAN SOMEREN, K. «The prevention and treatment of exercise-induced muscle damage», *Sports Medicine*, vol. 38, n° 6, 2008, p. 483-503.
- HRYMOMALLIS, C. «Relationship between balance ability, training and sports injury risk», *Sports Medicine*, vol. 37, n° 6, 2007, p. 547-556.
- HUGHES, N., *et al.* «Ratings of perceived exertion (RPE) during elliptical trainer, treadmill and recumbent bike exercise», *Medicine & Science in Sports & Exercise*, vol. 37, n° 5, 2005, p. S103.
- ISSURIN, V. «Altitude training: An up-to-date approach and implementation in practice», *Sporto Mokslas*, vol. 1, n° 47, 2007, p. 12-19.
- JACKSON, S. A., et CSIKSZENTMIHALYI, M. *Flow in sports*, Human Kinetics, 1999.
- JÄRVINEN, T., *et al.* «Muscle injuries: Optimising recovery», *Best Practice & Research Clinical Rheumatology*, vol. 21, n° 2, 2007, p. 317-331.
- JONES, A. M. «Running economy is negatively related to sit-and-reach test performance in international-standard distance runners», *International Journal of Sports Medicine*, vol. 23, 2002, p. 40-43
- JONES, A. M. «A five-year physiological case study of an Olympic runner», *British Journal of Sports Medicine*, vol. 32, 1998, p. 39-43.
- JONES, A. M. «The physiology of the World record holder for the Women's marathon», *International Journal of Sports Science & Coaching*, vol. 1, n° 2, 2006, p. 101-115.
- JULIAN, C. G., WILSON, M. J., et MOORE, L. G. «Evolutionary adaptation of high altitude: A view from in utero», *American Journal of Human Biology*, vol. 21, 2009, p. 614-622.
- KANNUS, P., *et al.* «Basic science and clinical studies coincide: Active treatment approach is needed after sport injury», *Scandinavian Journal of Medicine and Science in Sports*, vol. 13, 2003, p. 150-154.
- KEMMLER, W., *et al.* «Effect of compression stocking on running performance in men runners», *Journal of*

- Strength and Conditioning Research*, vol. 23, n° 1, 2009, p. 101-105.
- KERRIGAN, D. C., *et al.* «The effect of running shoes on lower extremity joint torques», *PM&R*, vol. 1, n° 12, 2009, p. 1058-1063.
- KING, M., *et* DUFFIELD, R. «The effects of recovery interventions on consecutive days of intermittent sprint exercise», *Journal of Strength and Conditioning Research*, vol. 23, 2009, p. 1795-1802.
- KLAPCINSKA, B., *et al.* «Evaluation of autoantibodies against oxidized LDL (oLAB) and blood antioxidant status in professional soccer players», *International Journal of Sports Medicine*, vol. 26, n° 1, 2005, p. 71-78.
- KOHUT, M., *et al.* «Chronic exercise reduces illness severity, decreases ciral load, and results in greater anti-inflammatory effects than acute exercise during influenza infection», *Journal of Infectious Diseases*, vol. 200, 2009, p. 1434-1442.
- KONG, P. W., *et al.* «Running in new and worn shoes—A comparison of three types of cushioning footwear», *British Journal of Sports Medicine*, vol. 8, n° 1, 2009, p. 52-59.
- KRAM, R., *et* TAYLOR, Cr. «Energetics of running: A new perspective», *Nature*, vol. 346, n° 6281, juillet 1990, p. 265-267
- KRAMPLA, W., *et al.* «Changes on magnetic resonance tomography in knee joints of marathons runners: A 10-year longitudinal study», *Skeletal Radiology*, vol. 37, n° 7, 2008, p. 619-626.
- KRANTZ, N., JOHNSON, M., *et* PÉREC, M. J. «Analyse comparée de la foulée. Partie 1 : Efficacité et économie : quel système expert retenir?», *Revue AEFA*, n° 144, 1996, p. 31-35.
- KUBITZ, K. A., *et al.* «The effects of acute and chronic exercise on sleep. A meta-analytic review», *Sports Medicine*, vol. 21, 1996, p. 277-291.
- KUJALA, J. M., KAPRIO, J., *et* SAMA, S. «Osteoarthritis of weight bearing joints of lower limbs in former elite male athletes», *British Medical Journal*, vol. 308, 1994, p. 231-238.
- LAMBERT, G. P., *et al.* «Fluid tolerance while running : effect of repeated trials», *International Journal of Sports Medicine*, vol. 29, n° 11, 2008, p. 878-882.
- LAMBERT, K. G. «Effort et bien-être psychique», *Cerveau et Psycho*, n° 30, novembre-décembre 2008.
- LANE, K. N., *et* WENGER, H. A. «Effect of selected recovery conditions on performance of repeated bouts of intermittent cycling separated by 24 hours», *Journal of Strength and Conditioning Research*, vol. 18, 2004, p. 855-860.
- LARSEN, H. B. «Kenyan dominance in distance running», *Comparative Biochemistry and Physiology*, vol. 13, 2003, p. 161-170.
- LAURSEN, P. B. «Training for intense exercise performance: High-intensity or high-volume training?», *Scandinavian Journal of Medicine and Science in Sports*, vol. 20, suppl. 2, 2010, p. 1-10.
- LAURSEN, P. B., *et* JENKINS, D. G. «The scientific basis for high-intensity interval training: Optimising training programmes and maximising performance in highly trained endurance athletes», *Sports Medicine*, vol. 32, 2002, p. 53-73.
- LAURSEN, P. B. *et al.* «Reliability of Time-to-Exhaustion versus Time-Trial Running Tests in Runners», *Medicine & Science in Sports & Exercise*, vol. 39, n° 8, 2007, p. 1374-1379.
- LEDOUX, M., LACOMBE, N., *et* ST-MARTIN, G. *Nutrition, sport et performance*, Éditions Géo Plein Air, 2006, 261 p.
- LEETUN, D., *et al.* «Core stability measures as risk factors for lower extremity injury in athletes», *Medicine & Science in Sports & Exercise*, vol. 36, n° 6, 2004, 926-934.

- LEVÊQUE, M. *Psychologie de l'athlète. Radiographie d'une carrière de sportif de haut niveau*, Vuibert, 2008.
- LEVINE B.D., STRAY-GUNDERSEN J., DUHAIME G., SNELL P., et FRIEDMAN D. «Living high-training low: the effect of altitude acclimatization/normoxic training in trained runners (Abstract)», *Medicine & Science in Sports & Exercise*, vol. 23, 1991, p. S25.
- LEVINE, B. D., et STRAY-GUNDERSEN, J. «A practical approach to altitude training: Where to live and train for optimal performance enhancement», *International Journal of Sports Medicine*, vol. 13, suppl. 1, octobre 1992, p. S209-212.
- LIAO, P., et al. «Eccentric contraction induces inflammatory responses in rat skeletal muscle: Role of tumor necrosis factor- », *American Journal of Physiology – Regulatory, Integrative and Comparative Physiology*, vol. 298, n° 3, 2010, p. R599-607.
- LIEBERMAN, D., et al. «Foot strike patterns and collision forces in habitually barefoot versus shod runners», *Nature*, vol. 463, 2010, p. 531-535.
- LUCIA, A., et al. «The key to top-level endurance running performance: A unique example», *British Journal of Sports Medicine*, 29 novembre 2007.
- LUCIA, A., HOYOS, J., et CHICHARRO, J. L. «Preferred pedalling cadence in professional cycling», *Medicine & Science in Sports & Exercise*, vol. 33, 2001, p. 1361-1366.
- MAFFULLI, N., et LONGO, U. G. «How do eccentric exercises work in tendinopathy?», *Rheumatology*, vol. 47, n° 10, 2008, p. 1444-1445.
- MAFI, N., LORENTZON, R., et ALFREDSON, H. «Superior short-term results with eccentric calf muscle training compared to concentric training in a randomized prospective multicenter study on patients with chronic Achilles tendinosis», *Knee Surgery, Sports Traumatology, Arthroscopy*, vol. 9, 2001, p. 42-47.
- MALM, C., et al. «Leukocytes, cytokines, growth factors and hormones in human skeletal muscle and blood after uphill and downhill running», *Journal of Physiology*, vol. 556, n° 3, 2004, p. 983-1000.
- MARCORA, S. «Counterpoint: Afferent feedback from fatigued locomotion muscles is not an important determinant of endurance exercise performance», *Journal of Applied Physiology*, vol. 108, 2009, p. 454-456 ; discussion p. 456-457.
- MARCORA, S. M., STAIANO, W., et MANNING, V. «Mental fatigue impairs physical performance in humans», *Journal of Applied Physiology*, vol. 106, 2009, p. 857-864.
- MARTIN, B. J. «Sleep loss and subsequent exercise performance», *Acta Physiologica Scandinavica*, vol. 574, suppl., 1988, p. 28-32.
- MARTIN, V., et al. «Effects of recovery modes after knee extensor muscles eccentric contractions», *Medicine & Science in Sports & Exercise*, vol. 36, 2004, p. 1907-1915.
- MAZIÈRES, B. «Sport et arthrose. Indiqué ou non?», *Rhumatos*, vol. 7, n° 59, juin 2010, p. 171-176.
- MAZIÈRES, B., et al. «Observance et résultat des programmes de soins physiques dans le traitement de la coxarthrose et de la gonarthrose. Élaboration de recommandations françaises pour la pratique clinique», *Revue du rhumatisme*, vol. 75, 2008, p. 862-870.
- MENZIES, P., et al. «Blood lactate clearance during active recovery after an intense running bout depends on the intensity of the active recovery», *Journal of Sports Sciences*, vol. 28, 2010, p. 975-982.
- MESSIER, S. P., FRANKE, W. D., et REJESKI, W. J. «Effects of altered stride lengths on ratings of perceived exertion during running», *Research Quarterly for Exercise and Sport*, vol. 57, 1986, p. 273-279.

- MILLER, K., et al. «Reflex inhibition of electrically induced muscle cramps in hypohydrated humans», *Medicine & Science in Sports & Exercise*, vol. 42, n° 5, 2010, p. 953-961.
- MILLET, G. «Les blancs coûtent plus cher au kilomètre – Interview du P^r Lacour», *Sport et Vie*, Hors-Série n° 8, 1998, p. 29-31.
- MILLET, G. Y. «Can neuromuscular fatigue explain running strategies and performance in ultramarathons? The flush model», *Sports Medicine*, vol. 46, 2011, p. 489-506.
- MILLET, G. Y., et LEPERS, R. «Alterations of neuromuscular function after prolonged running, cycling and skiing exercises», *Sports Medicine*, vol. 34, 2004, p. 105-116.
- MONEDERO, J., et DONNE, B. «Effect of recovery intervention on lactate removal and subsequent performance», *International Journal of Sports Medicine*, vol. 21, 2000, p. 593-597.
- MONTGOMERY, I., TRINDER, J., et PAXTON, S. J. «Energy expenditure and total sleep time: Effect of physical exercise» *Sleep*, vol. 5, 1982, p. 159-168.
- MORGAN, D., et al. «Effect of step length optimization on the aerobic demand of running», *Journal of Applied Physiology*, vol. 77, 1994, p. 245-251.
- MORGAN, D. W., MARTIN, P. E., et KRAHENBUHL, G. S. «Factors affecting running economy», *Sports Medicine*, vol. 7, n° 5, 1989, p. 310-330.
- MORIN, J. B., et al. «Relations force-vitesse et performances en sprint chez des athlètes entraînés», *Science & Sports*, vol. 17, n° 2, 2002, p. 78-85.
- MORIN, J. B., et al. «Direct measurement of power during one single sprint on treadmill», *Journal of Biomechanics*, vol. 43, 2010, p. 1970-1975.
- MORTON, D., «Exercise related transient abdominal pain», *British Journal of Sports Medicine*, vol. 37, 2003, p. 287-288.
- MORTON, D., et CALLISTER, R. «Influence of posture and body type on the experience of exercise-related transient abdominal pain», *Journal of Science and Medicine in Sports*, vol. 13, n° 5, 2010, p. 485-488.
- MUJIKKA, I., et al. «Physiological responses to a 6-d taper in middle-distance runners: Influence of training intensity and volume», *Medicine & Science in Sports & Exercise*, vol. 32, 2000, p. 511-517.
- MUJIKKA, I., et PADILLA, S. «Detraining: Loss of training-induced physiological and performance adaptations. Part I: Short term insufficient training stimulus», *Sports Medicine*, vol. 30, 2000, p. 79-87.
- MUJIKKA, I., et PADILLA, S. «Scientific bases for precompetition tapering strategies», *Medicine & Science in Sports & Exercise*, vol. 35, 2003, p. 1182-1187.
- MUTRIE, N. «The relationship between physical activity and clinically defined depression», dans S. J. H. Biddle, K. R. Fox et S. H. Boutcher (dir.), *Physical activity and psychological well-being*, Londres, Routledge, 2000.
- NIELSON, O. B., PAOLI, F. de, et OVERGAARD, K. «Protective effects of lactic acid on force production in rat skeletal muscle», *Journal of Physiology*, vol. 536, 2011, p. 161-166.
- NIEMAN, D. «Marathon training and immune function», *Sports Medicine*, vol. 37, n°s 4-5, 2007, p. 412-415.
- NOAKES, T., et al. «From catastrophe to complexity: A novel model of integrative central neural regulation of effort and fatigue during exercise in humans», *British Journal of Sports Medicine*, vol. 38, 2004, p. 511-514.
- NOAKES, T. D. *Lore of running*, Oxford University Press, 2005.
- NOAKES, T. D., ST. CLAIR GIBSON, A., et LAMBERT, E. V. «From catastrophe to complexity: A novel model of integrative central neural regulation of effort and

- fatigue during exercise in humans: summary and conclusions», *British Journal of Sports Medicine*, vol. 39, 2005, p. 120-124.
- NUMMELA, A., KERÄNEN, T., et MIKKELSSON, L. O. «Factors related to top running speed and economy», *International Journal of Sports Medicine*, vol. 28, n° 8, 2007, p. 655-661.
- NUMMELA, A. T., et al. «Neuromuscular factors determining 5 km running performance and running economy in well-trained athletes», *European Journal of Applied Physiology*, vol. 97, n° 1, 2006, p. 1-8.
- ORENDURFF, M. S., et al. «Regional foot pressure during running, cutting, jumping, and landing», *American Journal of Sports Medicine*, vol. 36, n° 3, 2008, p. 566-571.
- PAFFENBARGER, R. S., HYDE, R. T., et WING, A. L. «Physical activity and physical fitness as determinants of health and longevity», dans C. Bouchard et al., *Exercise, fitness and health*, 1990.
- PARKIN, J. A., et al. «Muscle glycogen storage following prolonged exercise: Effect of timing of ingestion of high glycemic index food», *Medicine & Science in Sports & Exercise*, vol. 29, 1997, p. 220-224.
- PASCETTA, A., et al. Communication présentée à *Nutrition and physical activity to optimize performance and well-being*, 6 avril 1995, Atlanta (Ga.), É.-U.
- PETERSEN, A. M., et PEDERSEN, B. K. «The anti-inflammatory effect of exercise», *Journal of Applied Physiology*, vol. 98, n° 4, 2005, p. 1154-1162.
- PETERSEN, K. «Muscle mechanical characteristics in fatigue and recovery from a marathon race in highly trained runners», *European Journal of Applied Physiology*, vol. 101, 2007, p. 385-396.
- PIRON, A. «Analyse fonctionnelle du mouvement», *Revue EPS*, n° 204, mars-avril 1987.
- POMPONI, M. «DHA deficiency and Alzheimer's disease», *Clinical Nutrition*, vol. 27, n° 1, 2008, p. 170.
- PONTZER, H., et al. «Control and function of arm swing in human walking and running», *Journal of Experimental Biology*, vol. 212, n° 4, 2009, p. 523-534.
- POPP, K., et al. «Bone geometry, strength and muscle size in runners with a history of stress fracture», *Medicine & Science in Sports & Exercise*, vol. 41, n° 12, 2009, p. 2145-2150.
- RAHMANI, A., et al. «Force/velocity and power/velocity relationships in squat exercise», *European Journal of Applied Physiology*, vol. 84, 2001, p. 227-232.
- REYNOLDS, G. «Weighing the evidence on exercise», *New York Times*, 16 avril 2010.
- RICHARDS, C., et al. «Is your prescription of distance running shoes evidence-based?», *British Journal of Sports Medicine*, vol. 43, n° 3, 2009, p. 159-162.
- RICHE, D. *Guide nutritionnel des sports d'endurance*, Vigot, 1998.
- RICHE, D. *L'entraînement n'est pas une science*, Éditions VO2, 2004.
- RICHE, D. *Micronutrition, alimentation-santé et exercice*, De Boeck, 2008.
- RICHE, D. *Micronutrition, santé et performance*, De Boeck, 2008.
- RIPOLL, H. *Le mental des champions*, Éditions Payot, 2008.
- RISTOW, M., et al. «Antioxidants prevent health-promoting effects of physical exercises in humans», *PNAS*, vol. 106, n° 21, 2009, p. 8665-8670.
- ROBEY, E., et al. «Effect of postexercise recovery procedures following strenuous stairclimb running», *Research in Sports Medicine*, vol. 17, n° 4, 2009, p. 245-259.

- ROPRET, R., *et al.* «Effects of arm and leg loading on sprint performance», *European Journal of Applied Physiology*, vol. 77, 1998, p. 547-550.
- ROSENDAL, L., *et al.* «Increased levels of interstitial potassium but normal levels of muscle IL-6 and LDH in patients with trapezius myalgia», *Pain*, vol. 119, n^{os} 1-3, 2005, p. 201-209.
- ROWSELL, G., *et al.* «Effects of cold-water immersion on physical performance between successive matches in high performance junior male soccer players», *Journal of Sports Science*, vol. 27, n^o 6, 2009, p. 565-573.
- RUPP, T., et PERREY, S. «Prefrontal cortex oxygenation and neuromuscular responses to exhaustive exercise», *European Journal of Applied Physiology*, vol. 102, n^o 2, 2008, p. 153-163.
- SALTIN, B., *et al.* «Morphology, enzyme activities and buffer capacity in leg muscles of Kenyan and Scandinavian runners», *Scandinavian Journal of Medicine and Science in Sports*, vol. 5, n^o 4, août 1995, p. 222-230.
- SAMUELS, C. «Sleep, recovery, and performance: The new frontier in high-performance athletics», *Neurologic Clinics*, vol. 26, 2008, p. 169-180; ix-x.
- SAYANA, M. K., et MAFFULI, N. «Eccentric calf muscle training in non-athletic patients with Achilles tendinopathy», *Journal of Science and Medicine in Sport*, vol. 10, 2007, p. 52-58.
- SCANLAN, A., *et al.* «The effects of wearing lower-body compression garments during endurance cycling», *International Journal of Sports Physiology and Performance*, vol. 3, n^o 4, 2008, p. 424-438.
- SCHMITT, L., *et al.* «Influence of "living high-training low" on aerobic performance and economy of work in elite athletes», *European Journal of Applied Physiology*, vol. 97, n^o 5, juillet 2006, p. 627-636.
- SCHÜCKER, L., *et al.* «The effect of attentional focus on running economy», *Journal of Sports Sciences*, vol. 27, n^o 12, 2009, p. 1241-1248.
- SELLWOOD, K., *et al.* «Ice-water immersion and delayed onset muscle soreness: A randomized controlled trial», *British Journal of Sports Medicine*, vol. 41, 2007, p. 392-397.
- SERVAN-SCHREIBER, D. *Anticancer*, Robert Laffont, 2010.
- SHAPIRO, C. M., *et al.* «Slow-wave sleep: A recovery period after exercise», *Science*, vol. 214, 1981, p. 1253-1254.
- SHEPLEY, B., *et al.* «Physiological effects of tapering in highly trained athletes», *Journal of Applied Physiology*, vol. 72, 1992, p. 706-711.
- SHERMAN, W., *et al.* «Effect of a 42,2-km footrace and subsequent rest or exercise on muscular strength and work capacity», *Journal of Applied Physiology – Respiratory, Environmental and Exercise Physiology*, vol. 57, n^o 6, 1984, p. 1668-1673.
- SHERRILL, D. L., KOTCHOU, K., et QUAN, S. F. «Association of physical activity and human sleep disorders», *Archives of Internal Medicine*, vol. 158, 1998, p. 1894-1898.
- SHRIER, I. «Stretching before exercise: An evidence based approach», *British Journal of Sports Medicine*, vol. 34, 2000, p. 324-325.
- SHRIER, I. «Stretching before exercise does not reduce the risk of local muscle injury: A critical review of the clinical and basic science literature», *Clinical Journal of Sport Medicine*, vol. 9, 1999, p. 211-227.
- SLAWINSKI, J. S., et BILLAT, V. L. «Difference in mechanical and energy cost between highly, well and nontrained runners», *Medicine & Science in Sports & Exercise*, vol. 365, n^o 8, 2004, p. 1440-1446.

- STAKOFSKY, A., *et al.* «Candidate predictors of vulnerability to sleep deprivation», *Sleep-Wake Research in The Netherlands*, vol. 15, 2004, p. 80-83.
- STEVENS, J., *et NAMBA, D.* *The marathon monk of Mount Heie*, Shambhala, 1988.
- SWAKA, N., *et NOAKES, T.* «Does dehydration impair exercise performance?», *Medicine & Science in Sports & Exercise*, vol. 39, n° 8, 2007, p. 1209-1217.
- TABATE, I., *et al.* «Effects of moderate-intensity endurance and high-intensity intermittent training on anaerobic capacity and VO₂max», *Medicine & Science in Sports & Exercise*, vol. 28, 1996, p.1327-1330.
- TANSER, T. *Train hard, win easy: The Kenyan way*, 2^e éd. rev., Tafnews Press, 2001.
- TARNOPOLSKY, M. «Protein requirements for endurance athletes», *Nutrition*, vol. 20, n°s 7-8, 2004, p. 662-668.
- TAUNTON, J. E., *et al.* «A prospective study of running injuries : The Vancouver Sun Run "In Training" clinics», *British Journal of Sports Medicine*, vol. 37, 2003, p. 239-244.
- TEICHTAHL, A. J., *et al.* «Longitudinal effet of vigorous physical activity on patella morphology in people without clinical knee disease», *Arthritis & Rheumatism*, vol. 61, 2009, p. 1095-1102.
- THACKER, S., *et al.* «The impact of stretching on sports injury risk: A systematic review of the literature», *Medicine & Science in Sports & Exercise*, vol. 36, n° 3, 2004, p. 371-378.
- THIBAUT, G. *Entraînement cardio. Sports d'endurance et performance*, Vélo Québec, coll. «Géo Plein Air», 2009.
- THIRIET, P., *et al.* «The effect of various recovery modalities on subsequent performance, in consecutive supramaximal exercise», *Journal of Sports Medicine and Physical Fitness*, vol. 33, 1993, p. 118-129.
- THYS, H., FARAGGIANA, T., *et MARGARIA, R.* «Utilization of muscle elasticity in exercise», *Journal of Applied Physiology*, vol. 32, 1972, p. 491-494.
- TOKMAKIDIS, S. P., *et al.* «The effect of ibuprofen on delayed muscle soreness and muscular performance after eccentric exercise», *Journal of Strength and Conditioning Research*, vol. 17, n° 1, 2003, p. 53-59.
- TONG, T. K., *et al.* «Chronic and acute inspiratory muscle loading augment the effect of a 6-week interval program on tolerance of high intensity intermittent bouts of running», *Journal of Strength and Conditioning Research*, vol. 24, n° 11, 2010, p. 3041-3048.
- TYRKA, A. R., *et al.* «Cortisol and ACTH responses to the Dex/CRH test: Influence of temperament», *Hormones and behaviour*, vol. 53, n° 4, avril 2008, p. 518-525.
- VAN CAUTER, E., *et al.* «Metabolic consequences of sleep and sleep loss», *Sleep Medicine*, vol. 9, suppl. 1, 2008, p. S23-28.
- VAN DONGEN, H., *et al.* «The cumulative cost of additional wakefulness: Dose-response effects on neurobehavioral functions and sleep physiology from chronic sleep restriction and total sleep deprivation», *Sleep*, vol. 26, 2003, p. 117-126.
- VERHAGEN, E., *et al.* «The effect of a proprioceptive balance board training program for the prevention of ankle sprains», *American Journal of Sports Medicine*, vol. 32, 2004, p. 1385-1393.
- WANG, J. H. «Mechanobiology of tendon» *Journal of Biomechanics*, vol. 39, 2006, p. 1563-1582.
- WARDEN, S. «Prophylactic misuse and recommended use of non-steroidal anti-inflammatory drugs by athletes», *British Journal of Sports medicine*, vol. 43, 2009, p. 548-549.

WATERHOUSE, J., *et al.* «The role of a short post-lunch nap in improving cognitive, motor and sprint performance in participants with partial sleep deprivation», *Journal of Sports Sciences*, vol. 25, 2007, p. 1557-1566.

WEIN, D., *et* MICHELLI, L. J. «Nutrition, eating disorders & the female athlete triad», dans S. L. Mostofsky *et* L. D. Zaichokwsky (dir.), *Medical and psychological aspects of sports and exercise*, Morganown (W. Va.), Fitness Information Technology, 2002, p. 91-102.

WESTERLAD, H., ALLEN, D. G., *et* LANNERGREN, J. «Muscle fatigue : Lactic acid or inorganic phosphate the major cause?», *News in Physiological Science*, vol. 17, 2002, p. 17-21.

WILLIAMS, K. R., *et* CAVANAGH, P. R. «Relationship between distance running mechanics, running economy, and performance», *Journal of Applied Physiology*, vol. 63, n° 3, 1987, p. 1236-1245.

WILSON, J. M., *et al.* «Effects of static stretching on energy cost and running endurance performance», *Journal of Strength and Conditioning Research*, vol. 24, n° 9, 2010, p. 2274-2279.

WILSON, J. M., *et* WILSON, G. J. «A practical approach to the taper», *Strength and Conditioning Journal*, vol. 30, n° 2, 2008, p. 10-17.

WITKOWSKI, S., *et al.* «Optimal altitude for "living high-training low" », *Medicine & Science in Sports & Exercise*, vol. 33, suppl. 5, 2002, p. S292.

YOSHIDA, T., WATARI, H., *et* TAGAWA, K. «Effects of active and passive recoveries on splitting of the inorganic phosphate peak determined by ³¹P-nuclear magnetic resonance spectroscopy», *NMR in Biomedicine*, vol. 9, 1996, p. 13-19.

YOUNGSTEDT, S. D., O'CONNOR, P. J., *et* DISHMAN, R. K. «The effects of acute exercise on sleep: A quantitative synthesis», *Sleep*, vol. 20, 1997, p. 203-214.